

Figure 1





Figure 2

Mashing extract at 40°C



Molecular sieving chromatographies at Sephadex G-75 column with 50 mM phosphate buffer, pH 7.8, 0,5 M NaCl




Figure 3

4/13

		Before trea	tment	After trea	tment		
Group	No. of	range	mean	range	mean	Decrease (%)	
	Patients						
		Plasma	Glucos	e (mMol/L)			
I	6	6.8-8.5	7.6	6.8-7.7	7.2	5.6	
II	8	8.1-10.2	9.0	7.0-9.0	7.3	23.3	
Ш	7	11.6-14.7	12.5	6.0-10.2	8.1	54.3	
	_						
		Glucosylate	d Hemo	globin-HbA	1c(%)		
I	7	8.0-10.0	9.1	7.6-9.0	8.0	13.8	
II	8	10.1-19.6	13.0	6.5-10.0	8.1	60.5	

Figure 4A

Patient														
	0 d	ays	15 c	15 days 30 day		lays	45 days		60 days		75 days		90 days	
	F	PP	F	PP	F	PP	F	PP	F	PP	F	PP	F	PP
1	10.9	11.5	8.6	9.9	9.8	9.9	7.5	13.4	9.1	9.5	8.9	10.2	8.8	12.7
2	7.2	9.9	5.8	6.8	6.3	8.3	5.4	6.0	5.9	7.8	5.7	6.2	5.4	5.8
3	11.0	18.0	10.6	13.3	9.2	11.9	10.9	13.5	10.3	12.6	9.1	11.1	10.0	10.7
4	5.7	8.2	5.9	9.3	6.5	7.5	6.4	6.6	5.8	6.4	5.6	5.9	5.4	6.2
5	5.9	7.3	3.9	5.1	5.3	6.1	5.3	7.9	5.6	5.9	5.6	5.9	5.0	5.5
6	7.5	10.7	5.3	9.8	6.4	6.8	5.0	10.0	5.1	9.0	4.7	6.1	4.2	6.2
7	6.5	8.8	6.6	8.8	6.5	7.8	6.8	6.9	6.6	8.5	6.3	6.5	5.6	6.3
8	10.8	17.0	10.9	19.4	12.2	18.1	10.0	15.6	11.8	18.1	13.0	22.4	10.0	16.5
9	14.4	16.6	11.8	16.7	14.4	18.6	11.0	15.2	12.6	18.2	10.5	16.4	10.0	14.3
10	9.9	13.2	8.1	11.2	8.2	12.0	7.9	10.2	7.5	9.8	7.3	9.5	7.0	8.2

Figure 4B

5/13

No. of patients	Before treatment			After treatment				
	range	m	ean	ran	ıge	me	an	
	Trigh	yce:	rides	s (m]	Mol	/L)		
8	3.6-17.2 8.			4	1.1-10.3 4.2			
		TO	G/HI) L				
12	3.7-11.7 6.		4	3.0	0-9.4	5.2		
LDL/HDL								
8	0.8-4.	.3	2.	2	0.6	55-3.1	1.5	

Figure 5A

	Triglycerides		Cholesterol		LDL/Ch	olesterol	HDL/Cholesterol		
	Before	After	Before	After	Before After		Before	Aster	
1. 2. 3. 4. 5. 6. 7.	3.2 1.3 2.6 2.4 2.1 1.1 2.5	1.3 1.3 1.9 2.2 3.4 1.3 2.7	8.5 7.1 8.4 5.9 6.0 6.5 5.4	6.8 7.7 8.9 5.1 4.5 6.5 6.3	5.7 5.3 5.7 3.5 3.2 3.7 4.3	3.0 5.7 5.4 3.2 3.1 3.8 4.1	0.7 1.2 1.4 1.1 1.1 1.1	1.2 1.4 1.7 1.3 1.3 1.2	
8.	2.1	2.0	7.6	7.2	4.9	4.6	1.7	1.8	
9.	5.8	5.2	6.8	6.5	5.1	5.2	0.9	1.0	
10.	1.2	1.2	5.2	5.4	3.8	3.5	0.9	1.2	

Figure 5B




Figure 6

WO 2004/021980

7/13

Intermediate activities by hours in % compared to control

Sample	1st hour	2nd	3rd	4th	5th	6th
Retentate	5.7	30.7	41.2	51.5	64.7	65.8
Permeate	76.3	39.1	34.7	48.5	53.8	nd

Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12

12/13




Figure 13

13/13




Figure 14

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
 □ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
 □ FADED TEXT OR DRAWING
 □ BLURRED OR ILLEGIBLE TEXT OR DRAWING
 □ SKEWED/SLANTED IMAGES

☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.